

AUDITORY SKILLS CHECKLIST BY AGE AND DEGREE OF HEARING LOSS 24-30 AND 31-36 MO.


Alison Meagher, AuD

- This research was supported by the Rehabilitation Engineering Research Center (RERC) Disability Research and Dissemination Center (DRDC) through its Cooperative Agreement Number 5U01DD001007, from the Association of University Centers on Disabilities, and from the Centers for Disease Control (CDC) and Prevention. Its contents are solely the responsibility of the authors and do not necessarily represent the official views of the DRDC, AUCD, the CDC or OE-NIDRR (RERC).


ASC scores by hearing loss: Number of subjects

Degree Hearing Loss	Number of Subjects
Normal Hearing	30
High Frequency	19
Mild	77
Moderate	77
Moderate-Severe	35
Severe	17
CI	51
Total	306


ASC: 24-30 month old children




ASC by category and degree of HL for 24-30 month old children




Trendlines depicting decline in ASC subscale scores by degree of HL




ASC score difference 24-29 months compared to 30-36 months




ASC score growth- 24-29 months compared to 30-36 months



ASC score- age 24-29 months compared to 30-36 months



ASC score: age 24-29 months compared to 30-36 months



ASC score: age 24-29 months compared to 30-36 months

